POPULATION ESTIMATES					CENSUS DATA				LOCAL PUBLIC HEALTH				
												Per	
	995 Populati	on Est	13, 830	]					<u>Activiti</u>	es Reported	Number	10, 000	
Percer	nt Female		50. 1	Note:				are from	_				
				]			ıs. (All			ealth Nursing			
Popul ati	ion per squa	re mile	17				in 1995		Total c		315		
∣ Rank i	in state		63	ſ	except	where s	peci fi e	d.)	Total	vi si ts	957	692	
( 1=hi	ighest popul	ation den	si ty,	J	_		_		Vi si ts:	Reason for			
72=l c	owest popula	ition dens	ity.)		Rat	io of 19	989 Fami	ly	Gen h	lth promotion	122	88	
					In	come to	Poverty	/		t/child hlth	298	3 215	
				l .		(Cumula	ati ve)		Infect	tious & parasiti	c 17	12	
Age	Femal e	Male	<u>Total</u>						Ci rcul	atory	51		
0-14	1, 270	1, 320	2, 590	<u>Age</u>   < <b>5</b>	<100%	<185%	<200%	<u>Total</u>	Prenat		262		
15- 19	490	500	986			61	66	809	Postpai	rtum	186	134	
20- 24	330	350	680	5-17	19	48	<b>52</b>	2, 358					
25- 29	250	280	530	18-44	16	40	44	4, 182	WIC Parti	i ci pants	742	2 537	
30- 34	440	400	840	45-64	11	30	32	2, 928	o1				
35- 39	510	<b>520</b>	1, 030	65+	13	48	<b>54</b>	2, 539	Cl i ni c Vi		2, 632	2 1, 902	
40- 44	510	560	1, 070							ati on	1, 509	1, 090	
45- 54	800	840	1, 640	l <sub>.</sub>					Bl ood pi	ressure	155	112	
55- 64	800	800	1,600	ļ						1 6			
65- 74	800	830	1, 630				a		Envi ronme	ental Contacts			
75-84	510	420	930	C A	NCE	R I N	CIDE	N C E	Env haz		6		
<u>85+</u>	220	80	300	.		(1995)	1		Public	health nuisance	278	201	
Total	6, 930	6, 900	13, 830	J				, ,	1 C 1 1 H	1.1			
				Prima	ry site	<u> </u>		Number '	School He	ealth	007	007	
	п 1	3.6.3	m . 1	Colo				9	Vision	screeni ngs	397		
Age	Female	<u>Male</u>	<u>Total</u>	Lung				18	Hearing	screenings	219	158	
0-17	1, 570	1, 630	3, 200	Breas				10	п1.1. г	1		l	
18- 44	2, 230	2, 300	4, 530	Prost				10	Health E	ducation.	10	0	
45-64	1, 600 1, 530	1, 640 1, 330	3, 240	All o	others			36 83	Communi	ity sessions	120		
65+ Total	1, 330 6, 020	1, 33U	2, 860	Tota	L					ty attendance	130		
Iotai	6, 930	6, 900	13, 830					ļ		sessi ons	8 203		
								ı	SCHOOL	attendance	203	147	
	E M P L O	VMENT		т	ONC	T T T	рм с	A D E	Staffing	FTFc		I	
	LMFLU	INICNI		L	UNG		ı Mı C	A R E	Starring	- FIES staff	8	6. 1	
Noto: Ave	erage wage i	e based o	n nlaco							strators	0 1		
Note. Ave	work, not p	lace of r	n prace osidoneo	   Homo	Hool + h	Agenci	OC	1		health nurses			
01	work, not p	nace of f	esi uelice.	nome   <b>Pati</b>	near til	Agenci	cs .	177		health aides	<1		
Average	wage for ich	s covered		Pati	onte na	r 10,000	) non	128	Fryi ron	mental specialis	<1 ete		
hy Ilnomol	wage for job loyment Comp	oneation	\$17 838	Tacre	ciics pe	1 10,000	, hoh	120	Environ	mentar specialis		اا	
by onemp	oyment comp	ensaci on	\$17, <del>0</del> 50	   Nure	ing Hom	IO C		2	1			' '	
Labor Force Estimates Annual Average			lica	ing Hom <b>nsed be</b>	ds		148	LOCAL PUBLIC HEALTH FUNDING					
Civilian	Civilian labor force 6,961				nancy re	ate (ner	cent)	93. 8%	,	COME TODAY		Per	
Numbar	employed		6, 642	Resid	lents o	12/31/	95	93. 8% 135			Amount	Canita	
Number	r unemployed	ł	319	Resid	lents na	er 1, 000	)	100	Total fi	undi ng	3422. 749	\$30.55	
Unem	oloyment rat	:е	4. 6%	nor	ones po Sulation	n aged 6	5 or ala	der 44	Local	taxes	3201, 063	\$14.53	
) onem	Jimile 140		1. 0/0	Pot		- agea o	01 01		Local	Carres (	, 000		
I				I				1				I	

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS		171	Birth Order	Bi rths	Percent	Marital Status		
			Fi rst	67	39	of Mother	Births	Percent
Crude Live Birth Rate	3	12. 4	Second	45	26	Marri ed	120	70
General Fertility Rat	t <b>e</b>	67. 6	Thi rd	32	19	Not married	51	30
3			Fourth or higher	26	15	Unknown	0	•
Live births with repo	orted		Unknown	1	•			
congenital anomalies		1 . %				Educati on		
8			First Prenatal			of Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	Vi si t	Bi rths	Percent	Elementary or less	2	•
Vagi nal after	,		1st trimester	133	78	Some high šchool	21	12
previous cesarean	6		2nd trimester	33	19	High school	76	44
Forceps	1		3rd trimester	4	•	Some college	44	26
Other' vagi nal	133	78	No visits	0		Some college College graduate	28	16
Primary cesarean	15		Unknown	1		Unknown	0	
Repeat cesarean	16	•		_	-		-	-
Other or unknown	0	•	Number of Prenatal			Smoking Status		
	_		Care visits	Bi rths	Percent	of Mother	Bi rths	Percent
Birth Weight	Bi rths	Percent	No visits	0		Smoker	52	30
<1, 500 gm	0	•	1-4 visits	10		Nonsmoker	119	70
1, 500-2, 499 gm	7		5- 9 vi si ts	46	27	Unknown	0	•
2, 500+ gm	164	95. 9	10-12 visits	87	51	<b>0</b>	· ·	·
Unknown	0	•	13 + vi si ts	28	16			
	_	•	Unknown	0				
Race of Mother	Total B		Low Birth Weight (under 2,500 gm) Births Percent	lst Tri			Visit Other/	Unknown
White Black Other Unknown	Births P 154 1 16 0	90	7	Births 121 11	Percent 79	Births         Percent           30         19           .         .           .         .	Births 3 2	Percent
Whi te Bl ack Other	154 1 16		7	121	Percent 79	30 19  	3 2	
Whi te Bl ack Other	154 1 16 0	90	7	121 11	Percent 79 Tri mest	30 19 	3 2	Percent
Whi te Bl ack Other Unknown	154 1 16 0	90 : : :	7	121 11	Percent 79 Tri mest	30 19	3 2 Vi si t 0ther/	Percent
Whi te Bl ack Other	154 1 16 0	90 : : :	7	121       	Percent 79 Tri mest	30 19 	3 2 Vi si t 0ther/	Percent
White Black Other Unknown  Age of Mother	154 1 16 0 Fe Births	90 : : : ertility Rate	7	121         	Percent 79 Tri mest	30 19	3 . 2 . Visit Other/ Births .	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19	154 1 16 0 Fe Births 1 3 12	90 : : : ertility Rate  :	7 Low Birth Weight (under 2,500 gm) Births Percent	121 . 11 	Percent 79 Tri mest i mest er Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent 1 3	3 . 2 . Visit Other/ Births .	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	154 1 16 0 Fe Births 1 3 12 47	90 	7 Low Birth Weight (under 2,500 gm) Births Percent	121   1st Tr Births       	Percent 79 Tri mest imest er Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent 1 3 12	3 2 Vi si t 0ther/	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	154 1 16 0 Fe Births 1 3 12 47 56	90 	7	121   1st Tr Bi rths    3    35  49	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent 1 3 12	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 1 3 12 47 56 34	90 	7	121 . 11 	Percent 79 Tri mest imest er Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5	3 . 2 . Visit Other/ Births .	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	154 1 16 0 Fe Births 1 3 12 47 56	90 	7	121   1st Tr Bi rths    3    35  49	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5 4	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 12 47 56 34 17 1	90 	7	121 . 11 	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 12 47 56 34 17	90 	7	121 . 11 	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5 4	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Fe Births 12 47 56 34 17 1	90 	7	121 . 11 	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5 4	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 12 47 56 34 17 1	90 	7	121 . 11 	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5 4	3 2 Vi si t Other/ Bi rths	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	154 1 16 0 Fe Births 1 3 12 47 56 34 17 1 0	90 	7	121 . 11 	Percent 79 Trimest imester Percent	30 19 3 ter of First Prenatal 2nd Trimester Births Percent  1 3 12 7 5 4	3 2 Vi si t Other/ Bi rths	Percent

M O R B I D I T Y			M O R '	T A L I T Y		
REPORTED CASES OF SELECTED DISEASES	Note: Death rates ( neonatal, and Perinatal and fetal deaths.	except int d post-neo d fetal de	fant) are onatal deat eath rates	per 100,000 population. In th rates are per 1,000 live are per 1,000 live births	nfant, births. plus	
Di sease Number	TOTAL DEATHS		179	Selected		
Campyl obacter Enteritis <5	Crude Death Ra	ate	1, 294	Underlying Cause	Deaths	Rate
Gi ardi asi s <5	I <sup>'</sup>		•	Heart Disease (total )	39	282
Hepatitis Type A 0 Hepatitis Type B* <5 Hepatitis NANB/C** 0	)			Coronary heart disease	23	166
Hepatitis Type B* <5	Age	Deaths	Rate	Cancer (total)	50	362
Hepatitis NANB/C** 0	1-4	1	•	Lung	12	•
Legi onnai re's 0	5-14	•	•	Colorectal	12	• .
Lyme 24	15-19		•	Female breast	5	. *
Méasles 0	20-34	6	•	Cerebrovascular Disease	8	•
Meningitis, Aseptic 0	35-54	10	1 501	Chron Obstr Pul monary	8	•
Meningitis, Bacterial 0 Mumps 0	55-64 65-74	24 51	1, 501 3, 137	Pneumonia & Influenza	6 13	•
Mumps 0 Pertussis 0	75-84	45	3, 137 4, 771	Injuries Motor vehicle	9	•
Sal monel losis <5	75-84   85+	43 42	14, 000	Di abetes	9 7	•
Shi gellosis 0	05+	42	14, 000	Infectious & Parasitic	1	•
Tubercul osi s 0				Sui ci de	6	•
Tuber cur 0313	Infant				· ·	•
* Includes HBV carriers	' Mortality	Deaths	Rate	* Rate for female breast	cancer	based
** Includes HCV screens	Total Infant		•	on female populati		Duocu
	Neonatal	•	•			
<u>Sexually Transmitted Disease</u>	Post-neonatal			ALCOHOL AND DRUG ABUSE A	S UNDERLY	YI NG
·	Unknown	•		OR CONTRIBUTING CAUSE	OF DEATH	H
Chlamydia Trachomatis 10				ĺ		
Genital Herpes <5	Race of Mother			Alcohol	2	•
Gonorrhea <5	Whi te	•	•	Other Drugs Both Mentioned	•	•
Nongonococcal Cervicitis 0	Black	•	•	Both Mentioned	•	•
Nongonococcal Urethritis 0 Syphilis 0	Other	•	•	 	CDACHEC	
Syphilis 0	Unknown	•	•	MOTOR VEHICLE	CRASHES	
	Birth Weight			Note: These data are ba	sed on l	ocatio
	1 500 gm			of crash, not on	resi denc	ocaci o P
	<1, 500 gm 1, 500-2, 499 gm	•	•	or crash, not on	1 cor denc	
I M M U N I Z A T I O N S	2, 500+ gm	•	•	Type of Motor	Persons I	Person
	Unknown			<u>Vehicle Crash</u>	I ni ured	Kille
				Total Crashes	151	9
Children in Grades K-12 by	'			Al cohol - Rel ated	44	4
Compliance Level	Peri natal			' With Citation:		
•	<u>Mortality</u>	Deaths	Rate	For OWI	26	1
Compliant 1,880	Total Perinatal	•	•	For Speeding	4	(
Non compliant 99	Neonatal			Motorcyclist	5	(
Non-compliant 23						
Non-compliant 23 Percent Compliant 98.8	Fetal	•	•	Bi cycl i st Pedestri an	3 1	0

## 

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
Injury-Related:	Al l					   Al cohol - Rel at ed					
Total	82	5. 9	3. 8	<b>\$4, 579</b>	<b>\$27</b>	Total	70	5. 1	4. 2	\$1,907	\$10
<18	8		•		•	18- 44	47	10. 4	4. 2	\$1,861	\$19
18- 44	16	•		•	•	45- 64	20	6. 2	2. 9	\$1,684	\$10
45- 64	17	•									
65+	41	14. 3	4.6	\$5,011	\$72	Pneumonia and I					
Injury: Hip I						Total	76	5. 5	4. 5	<b>\$5, 190</b>	\$29
Total	11	•	•	•	•	< 18	11	•	•	•	•
65+	. 11	•	•	•	•	45- 64	11		٠.		•
Injury: Poiso						65+	48	16. 7	<b>5. 0</b>	<b>\$5, 843</b>	\$98
Total	7	•	•	•	•	Cerebrovascul ar	D:				
18- 44	3	•	•	•	•	I .		9 5	3. 4	62 905	ėo.
Darrahi atmi a						Total 45-64	34	2. 5	3. 4	\$3, 805	\$9
Psychi atri c <b>Total</b>	65	4. 7	6. 0	<b>\$2, 761</b>	\$13	45-64   65+	1 33	11. 5	3. 4	\$3, 859 <sup>.</sup>	\$ <b>4</b> 4
10tai <18	9	4. /	0. 0	32, 701	\$13	05+	33	11. 5	3. 4	<b>33, 639</b>	344
18- 44	32	7. 1	4. 6	\$2, 231	\$1 <b>6</b>	Chronic Obstruc	tivo Dula	onary D	i sooso		
45- 64	32 8			32, 231	310	Total	52	3. 8	3. 6	\$4, 159	\$16
65+	16	•	•	•	•	< 18	6	3. 0		94, 133	<b>\$10</b>
<b>0</b> 3 +	10	•	•	•	•	18- 44	1	•	•	•	•
Coronary Heart	Di sease					45-64	11	•	•	•	•
Total	95	6. 9	3. 0	\$5, 689	\$39	65+	34	11. 9	3. 9	\$4, 817 <sup>.</sup>	\$57 <sup>.</sup>
45- 64	22	6.8	2.6	\$6, 336	\$43		01	11.0	0.0	ψ1, <b>01</b> 7	<b>407</b>
65+	$\tilde{67}$	23. 4	$\tilde{3}.\tilde{3}$	\$5, 7 <b>68</b>	\$135	Drug-Related					
				, , , , , , ,	,	Total	11				
Malignant Neopl	lasms (Car	ncers):	Al l			18- 44	6			•	
Total	43	3. 1	5. 9	\$9, 450	<b>\$29</b>	'					
18- 44	2	•		•		Total Hospitali	zati ons				
45- 64	5	•				Total	1, 573	113. 7	3. 3	\$3, 935	\$447
<b>65</b> +	36	12. 5	6. 2	\$9,688	\$122	<18	240	75. 1	2.4	\$1, 290	\$97
Neoplasms: Fe	emale Brea	ast (ra	ites for	female po	pul at i on)	18-44	409	90. 2	2.8	\$3, 246	\$293
Total	3	•	•	• -	•	45- 64	270	83. 3	3. 1	\$4, 535	\$378
Neoplasms: Co		l				<b>65</b> +	654	<b>228.</b> 0	4. 0	<b>\$5, 088</b>	\$1, 160
Total	9	•		•	•						
65+	9	•	•	•	•	PREVENTA					
Neoplasms: Lu						Total	323	23. 3	3. 6	\$4, 340	\$101
Total	6	•	•	•	•	< 18	31	9. 7	2. 0	\$1, 888	\$18
D. I.						18-44	23	5. 1	3. 2	\$3, 684	\$19
Diabetes						45-64	50	15. 4	2. 9	\$3, 383	\$52
Total	11	•	•	•	•	65 +	219	76. 3	4. 0	\$4, 974	\$380
<b>65</b> +	7	•	•	•	•	* W		. 11 4 1	. 1	4 1	. 1
						* Hospitalizatio effective ambulation hospitalization	atory car	e can r	s where educe t	timely ai he likelih	na nood of